


1903 HARLEY-DAVIDSON® 1993




• 1993 MOTORCYCLES •



ASK ANYONE WHO'S EVER OWNED A HARLEY-DAVIDSON®. IT GETS IN YOUR BLOOD. BECOMES A PART OF YOUR LIFE. AND ONCE IT DOES, IT NEVER LEAVES. IT'S SOMETHING YOU CAN'T COMPARE WITH ANYTHING ELSE. WE KNOW BECAUSE WE'VE BEEN THERE.

THAT'S WHY, FOR 90 YEARS, WE'VE REMAINED FIRM IN OUR COMMITMENT TO BUILDING THE KIND OF MOTORCYCLES THAT DESERVE THE INTENSE LOYALTY THAT HARLEY-DAVIDSONS ENJOY. THE STYLING IS STILL PURE. THE ENGINES STILL RUMBLE. IT'S ALSO WHY YOU'LL SEE US AT MAJOR RALLIES AND RIDES THROUGHOUT THE YEAR, LISTENING AND TALKING TO OUR CUSTOMERS. STAYING CLOSE TO RIDERS AND TO THE SPORT IS HOW WE'VE KEPT ALIVE THE THINGS THAT MAKE A HARLEY-DAVIDSON A HARLEY-DAVIDSON.

OUR APPROACH HAS ALWAYS BEEN DIFFERENT. BUT THEN AGAIN, SO HAS OWNING A HARLEY-DAVIDSON. WE WOULDN'T HAVE IT ANY OTHER WAY.




NOW WITH BELT FINAL DRIVE, THE SPORTSTER® 883 HUGGER® IS THE LOWEST IN THE SPORTSTER LINE. SETTLE INTO THE 66.04 CM SEAT AND REACH FOR THE BUCKHORNS. NOTHING PUTS YOU CLOSER TO THE STREET.



THIS IS AS RAW-BONED AS IT GETS. THE SPORTSTER® 883. V2® EVOLUTION® ENGINE AND, NEW THIS YEAR, PROVEN BELT FINAL DRIVE. NO FAT HERE. JUST STOPLIGHT-TO-STOPLIGHT MUSCLE.

XLH SPORTSTER® 883 DELUXE



WITH ITS BUCKHORN BAR, EMBOSSED TWO-UP SEAT AND PASSENGER PEGS, THE SPORTSTER® 883 DELUXE GIVES YOU PLENTY OF FUNCTION, PLENTY OF FLASH. IT TRULY DESERVES THE NAME DELUXE.

ACCESSORIZED XLH SPORTSTER® 1200



ADDED CHROME, CAST WHEELS AND A 12.16 LITER COLOR-MATCHED PEANUT-STYLE TANK. WITH GENUINE™ ACCESSORIES YOU CAN MAKE YOUR SPORTSTER® UNLIKE ANYTHING ELSE ON THE ROAD.

XLH SPORTSTER® 1200 ANNIVERSARY EDITION




THE SPORTSTER® 1200 IS THE MOST POWERFUL SPORTSTER EVER. CHOOSE THE STANDARD OR THE 90TH ANNIVERSARY EDITION. EITHER WAY, YOU'LL DISTANCE YOURSELF FROM THE CROWD.

FXR SUPER GLIDE®




WITH ITS RUBBER-ISOLATION MOUNTED V2® EVOLUTION® ENGINE AND SPORT CHASSIS, THE SUPER GLIDE® DELIVERS PERFORMANCE THAT MAKES YOU WANT TO TURN EVERY QUICK TRIP INTO AN ALL DAY RIDE.

FXLR LOW RIDER® CUSTOM ANNIVERSARY EDITION




A SPARKLING EXAMPLE OF HARLEY-DAVIDSON® CUSTOM STYLING, THE LOW RIDER® CUSTOM ANNIVERSARY EDITION MAKES A DISTINCT IMPRESSION WHEREVER IT GOES. A STANDARD MODEL IS ALSO AVAILABLE.

FXRS LOW RIDER® CONVERTIBLE™



WITH ITS EASILY DETACHABLE WINDSHIELD AND SADDLEBAGS, THE LOW RIDER® CONVERTIBLE™ GOES FROM TOURING THE COUNTRY TO CRUISING THE STRIP WITHOUT MISSING A BEAT.

FXRS-SP LOW RIDER® SPORT EDITION




EVOLUTION® ENGINE. SPORT CHASSIS. TRIPLE DISC BRAKES. THE LOW RIDER® SPORT EDITION. IT'S EVERYTHING YOU NEED TO GET THE MOST OUT OF A TWISTING STRETCH OF BLACKTOP.

ACCESSORIZED FXLR LOW RIDER® CUSTOM




CUSHION PEGS AND LEVERS, SPORT WINDSHIELD AND MORE. JUST LIKE THE FXR'S, GENUINE™ ACCESSORIES OFFER A COMBINATION OF STYLE AND PERFORMANCE YOU WON'T FIND ANYWHERE ELSE.

FXDWG DYNA WIDE GLIDE® ANNIVERSARY EDITION



THE WIDE GLIDE® IS BACK, IN THE FORM OF THE NEW DYNA WIDE GLIDE. IT'S A GREAT RIDE COMPLEMENTED BY UNMATCHED CUSTOM STYLING. JUST CHECK OUT THOSE FACTORY APE HANGERS.™

ACCESSORIZED FXDWG DYNA WIDE GLIDE®



SLANT LATIGO LEATHER SADDLEBAGS, BOBTAIL REAR FENDER RACK AND CHROME LOWER BELT GUARD. GENUINE™ ACCESSORIES ARE 100 PERCENT HARLEY-DAVIDSON!™ JUST LIKE THE DYNA GLIDES.

FXDL DYNA LOW RIDER®



INTRODUCING THE NEW DYNA LOW RIDER®. BUILT AROUND OUR SMOOTH-RIDING DYNA GLIDE® CHASSIS, IT PROUDLY CARRIES ON THE HERITAGE OF THE HARLEY-DAVIDSON® CUSTOM.

FXSTC SOFTAIL® CUSTOM




FOR CUSTOM DETAILING IN THE EXTREME AND A RIDING POSITION THAT'S LAID BACK AND LOW, GET ON THE SOFTAIL® CUSTOM. IT'S ONE MOTORCYCLE THAT SIMPLY REFUSES TO BLEND IN.



FXSTS SPRINGER® SOFTAIL®

THE TIME-HONORED STYLING OF ITS FRONT END MEANS THE SPRINGER® SOFTAIL® TURNS HEADS ANYWHERE. AND THANKS TO OUR PATENTED TECHNOLOGY, IT RIDES AS GOOD AS IT LOOKS.



FLSTC HERITAGE SOFTAIL® CLASSIC

THE HERITAGE SOFTAIL® CLASSIC IS HARLEY-DAVIDSON® TRADITION DEFINED IN IRON, LEATHER AND CHROME. IT'S LIKE WE TOOK THE VINTAGE BIKE PARKED IN YOUR MIND, AND IMPROVED IT.



FLSTF FAT BOY®

FROM THE TRADITIONAL BEEFY FRONT FORK TO THE HARDTAIL LINES OF THE SOFTAIL® FRAME, THE FAT BOY® IS ONE SOLID EXAMPLE OF WHAT'S RIGHT ABOUT HARLEY-DAVIDSON® MOTORCYCLE DESIGN.



FLSTN HERITAGE SOFTAIL® NOSTALGIA®


THE NEW HERITAGE SOFTAIL® NOSTALGIA® COMBINES CLASSIC STYLING AND BLACK-AND-WHITE PAINT FOR A STUNNING VISUAL EFFECT. ONLY HARLEY-DAVIDSON® WOULD DO SOMETHING LIKE THIS.

ACCESSORIZED FXSTS SPRINGER® SOFTAIL®



CHROME PASSING LAMPS, TOOL BOX, BOBTAIL FENDER RACK, DUAL FISHTAIL EXHAUST AND HARNESS LEATHER SADDLEBAGS. WITH GENUINE™ ACCESSORIES, THE POSSIBILITIES FOR A SOFTAIL® ARE NEARLY ENDLESS.

FLHTC ELECTRA GLIDE® CLASSIC ANNIVERSARY EDITION



NOTHING GIVES YOU THE EXPERIENCE OF THE OPEN ROAD QUITE LIKE THE ELECTRA GLIDE® CLASSIC ANNIVERSARY EDITION. PLENTY OF FUNCTION AND TRADITIONAL HARLEY® STYLING.

FLHS ELECTRA GLIDE® SPORT



THE ELECTRA GLIDE® SPORT IS THE TOURING HARLEY® IN ITS MOST BASIC FORM. AND THIS YEAR, LIKE ALL OUR TOURING BIKES, A MAJOR REDESIGN MAKES IT MORE ENJOYABLE THAN EVER.

FLHTC ULTRA CLASSIC® ELECTRA GLIDE® ANNIVERSARY EDITION



THE ULTRA CLASSIC® ELECTRA GLIDE® ANNIVERSARY EDITION IS THE LATEST KING OF THE HIGHWAY. FORK-MOUNTED FAIRING. TOP-NOTCH STEREO. CRUISE CONTROL. EVERYTHING YOU'D EXPECT ON A MOTORCYCLE OF SUCH STATURE.




FLTC ULTRA CLASSIC® TOUR GLIDE® ANNIVERSARY EDITION

WITH FEATURES LIKE A FRAME-MOUNTED FAIRING AND 20 WATT PER CHANNEL PREMIUM SOUND SYSTEM, THE ULTRA CLASSIC® TOUR GLIDE® ANNIVERSARY EDITION IS LOADED FOR THE LONG HAUL.



ACCESSORIZED FLHTC ELECTRA GLIDE® CLASSIC

PLENTY OF CHROME FROM GENUINE® ACCESSORIES. TIME-TESTED AND ROAD PROVEN, GENUINE ACCESSORIES ARE AS FUNCTIONAL AND DISTINCTIVE AS YOUR HARLEY-DAVIDSON®.



FLTC ULTRA CLASSIC® TOUR GLIDE®

EACH OF THE SIX LIMITED-EDITION ANNIVERSARY MODELS WE'RE OFFERING THIS YEAR IS ALSO AVAILABLE IN STANDARD COLORS. JUST CHOOSE THE ONE THAT FEELS BEST TO YOU.



FLHTC ULTRA CLASSIC® ELECTRA GLIDE® WITH SIDECAR

HARLEY-DAVIDSON® IS THE ONLY MOTORCYCLE COMPANY THAT OFFERS COLOR-MATCHED SIDECARS FOR ITS TOURING MOTORCYCLES. TALK TO YOUR HARLEY-DAVIDSON DEALER FOR DETAILS.

	XLH Sportster® 883	XLH Sportster® 883 Hugger®	XLH Sportster® 883 Deluxe	XLH Sportster® 1200	FXR Super Glide®
Length (cm)	222.5	221.62	222.5	222.5	235.0
Seat Height (cm)	72.39	66.04	72.39	73.66	67.31
Ground Clearance (cm)	17.02	11.43	17.02	17.02	13.34
Rake/Trail (°/cm)	29.6/11.68	30.1/11.94	29.6/11.68	29.6/11.68	29/10.72
Wheelbase (cm)	152.9	149.86	152.9	152.9	161.3
Dry Weight (kg)	222.2	216.6	222.15	215.7	260.82
Load Capacity (kg)	194.14	194.14	188.70	195.05	231.33
Engine	OHV V2® Evolution*	OHV V2® Evolution*	OHV V2® Evolution*	OHV V2® Evolution*	OHV V2® Evolution* vibration isolation-mounted
Bore x Stroke (cm)	76.2 x 96.8	76.2 x 96.8	76.2 x 96.8	88.8 x 96.8	88.8 x 108
Displacement (cc)	883	883	883	1200	1340
Compression Ratio	9.0:1	9.0:1	9.0:1	9.0:1	8.5:1
Oil Capacity (ltrs.)	2.96	2.96	2.96	2.96	2.95
Fuel Capacity (ltrs.)	8.5	8.5	8.5	8.5	15.9
Exhaust System	Staggered shorty duals	Staggered shorty duals	Staggered shorty duals	Staggered shorty duals	Staggered shorty duals
Primary Drive	Triple-row chain	Triple-row chain	Triple-row chain	Triple-row chain	Double-row chain
Gear Ratios (overall)	1st: 10.04 2nd: 7.32 3rd: 5.38 4th: 4.39 5th: 3.61	1st: 10.04 2nd: 7.32 3rd: 5.38 4th: 4.39 5th: 3.61	1st: 10.04 2nd: 7.32 3rd: 5.38 4th: 4.39 5th: 3.61	1st: 8.43 2nd: 6.15 3rd: 4.52 4th: 3.69 5th: 3.03	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94
Torque (NM @ rpms)	58.0 @ 4400 rpm	58.0 @ 4400 rpm	58.0 @ 4400 rpm	76.0 @ 3600 rpm	86.0 @ 2400 rpm
Brakes, cm x mm (front/rear)	29.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8	28.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8
Braking (maximum loaded vehicle wt.)	48.8m @ 96.56 kmph	48.8m @ 96.56 kmph	48.8m @ 96.56 kmph	48.8m @ 96.56 kmph	51.8m @ 96.56 kmph
Tire Size (front/rear)	100/90-19, 130/90hb16	100/90-19, 130/90hb16	100/90-19, 130/90hb16	100/90-19, 130/90hb16	100/90-19, 130/90hb16
Wheels	Laced	Laced	Laced	Laced	Laced
Miles per Gallon ¹	57 hwy./48 city	57 hwy./48 city	57 hwy./48 city	52 hwy./45 city	55 hwy./43 city
Lean Angles per SAE J1169 (right/left)	36°/34°	30.5°/34°	30.5°/34°	36°/34°	31°/32°
Instruments	Speedometer with odometer and resettable trip meter	Speedometer with odometer and resettable trip meter	Speedometer with odometer and resettable trip meter	Speedometer with odometer and resettable trip meter; tach	Speedometer with odometer and resettable trip meter
Color Options ²	Vivid black; victory red sun-glo; scarlet red; bright aqua sun-glo; mandarin orange	Vivid black; victory red sun-glo; scarlet red; bright aqua sun-glo; mandarin orange	Vivid black; victory red sun-glo; scarlet red; bright aqua sun-glo; mandarin orange	90th Anniversary; vivid black; victory red sun-glo; scarlet red; bright aqua sun-glo; 2-tone victory red sun-glo; 2-tone aqua sun-glo/silver	Vivid black; victory red sun-glo; scarlet red; bright aqua sun-glo; mandarin orange

	FXLR Low Rider® Custom	FXRS-SP Low Rider® Sport Edition	FXRS-CONV Low Rider® Convertible™	FXDWG Dyna Wide Glide®	FXDL Dyna Low Rider®
Length (cm)	235.5	236.6	237.2	238.1	238.76
Seat Height (cm)	67.31	69.85	69.85	75.4	68.58
Ground Clearance (cm)	13.34	15.24	15.24	16.5	14.22
Rake/Trail (°/cm)	29/10.72	31/12.24	31/12.24	32/12.95	32/12.95
Wheelbase (cm)	160.50	162.2	163.1	167.8	166.2
Dry Weight (kg)	263.92	268.15	282.3	274.4	274.5
Load Capacity (kg)	231.33	226.8	226.8	231.37	231.37
Engine	OHV V2® Evolution* vibration isolation-mounted	OHV V2® Evolution* vibration isolation-mounted	OHV V2® Evolution* vibration isolation-mounted	OHV V2® Evolution* vibration isolation-mounted	OHV V2® Evolution* vibration isolation-mounted
Bore x Stroke (cm)	88.8 x 108	88.8 x 108	88.8 x 108	88.8 x 108	88.8 x 108
Displacement (cc)	1340	1340	1340	1340	1340
Compression Ratio	8.5:1	8.5:1	8.5:1	8.5:1	8.5:1
Oil Capacity (ltrs.)	2.84	2.84	2.84	2.95	2.95
Fuel Capacity (ltrs.)	15.9	15.9	15.9	19.7	18.5
Exhaust System	Staggered shorty duals	Staggered shorty duals	Staggered shorty duals	Staggered shorty duals	Staggered shorty duals
Primary Drive	Double-row chain	Double-row chain	Double-row chain	Double-row chain	Double-row chain
Gear Ratios (overall)	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	1st: 10.93 2nd: 7.45 3rd: 5.40 4th: 4.16 5th: 3.37	1st: 10.93 2nd: 7.45 3rd: 5.40 4th: 4.16 5th: 3.37
Torque (NM @ rpms)	86 @ 2400 rpm ⁵	86 @ 2400 rpm	86 @ 2400 rpm	86 @ 2400 rpm	86 @ 2400 rpm
Brakes, cm x mm (front/rear)	29.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8
Braking (maximum loaded vehicle wt.)	51.8m @ 96.56 kmph	51.8m @ 96.56 kmph	51.8m @ 96.56 kmph	51.8m @ 97.0 kmph	51.8m @ 97.0 kmph
Tire Size (front/rear)	100/90-19, 130/90hb16	100/90-19, 130/90hb16	100/90-19, 130/90hb16	mh90-21, 130/90hb16	100/90-19, 130/90hb16
Wheels	Front laced, rear disc	9-spoke cast	9-spoke cast	Laced	9-spoke black painted cast
Miles per Gallon ¹	55 hwy./43 city	55 hwy./43 city	55 hwy./43 city	55 hwy./43 city	55 hwy./43 city
Lean Angles per SAE J1169 (right/left)	31°/32°	37°/35°	37°/35°	31°/32°	31°/32°
Instruments	Speedometer with odometer and resettable trip meter; tach; fuel gauge	Speedometer with odometer and resettable trip meter; tach; fuel gauge	Speedometer with odometer and resettable trip meter; tach; fuel gauge	Speedometer with odometer and resettable trip meter; tach; fuel gauge	Speedometer with odometer and resettable trip meter; tach; fuel gauge
Color Options ²	Vivid black; victory red sun-glo; 90th Anniversary; bright aqua sun-glo; 2-tone victory red sun-glo; 2-tone aqua sun-glo/silver	Vivid black; victory red sun-glo; bright wineberry sun-glo; bright aqua sun-glo; 2-tone victory red sun-glo; 2-tone aqua sun-glo/silver	Vivid black; victory red sun-glo; bright wineberry sun-glo; bright aqua sun-glo; 2-tone victory red sun-glo; 2-tone aqua sun-glo/silver	90th Anniversary; vivid black; 2-tone victory red sun-glo; 2-tone aqua sun-glo/silver	Vivid black; victory red sun-glo; 2-tone victory red sun-glo; bright wineberry sun-glo; bright aqua sun-glo; 2-tone aqua sun-glo/silver

	FXSTC Softail® Custom	FXSTS Springer® Softail®	FLSTF Fat Boy®	FLSTC Heritage Softail® Classic	FLSTN Heritage Softail® Nostalgia®
Length (cm)	241.1	234.95	238.8	238.8	238.8
Seat Height (cm)	66.35	66.34	67.31	67.31	67.31
Ground Clearance (cm)	14.27	13.67	13.34	13.34	13.34
Rake/Trail (°/cm)	34/12.70	32/13.34	32/14.73	32/14.73	32/14.73
Wheelbase (cm)	169.0	163.6	158.75	158.75	158.75
Dry Weight (kg)	287.0	286.9	298.3	325.9	359.9
Load Capacity (kg)	211.83	208.66	197.32	170.1	176.1
Engine	OHV V2® Evolution*	OHV V2® Evolution*	OHV V2® Evolution*	OHV V2® Evolution*	OHV V2® Evolution*
Bore x Stroke (cm)	88.8 x 108	88.8 x 108	88.8 x 108	88.8 x 108	88.8 x 108
Displacement (cc)	1340	1340	1340	1340	1340
Compression Ratio	8.5:1	8.5:1	8.5:1	8.5:1	8.5:1
Oil Capacity (ltrs.)	2.84	2.84	2.84	2.84	2.96
Fuel Capacity (ltrs.)	19.7	15.9	15.9	15.9	19.7
Exhaust System	Staggered shorty duals	Staggered shorty duals	Shotgun shorty duals	Staggered dual fishtails ³	Staggered dual fishtails ³
Primary Drive	Double-row chain	Double-row chain	Double-row chain	Double-row chain	Double-row chain
Gear Ratios (overall)	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94
Torque (NM @ rpms)	86.0 @ 2400 rpm	86.0 @ 2400 rpm	86.0 @ 2400 rpm	86.0 @ 2400 rpm	86.0 @ 2400 rpm
Brakes, cm x mm (front/rear)	29.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8	29.2 x 5.1/ 29.2 x 5.8
Braking (maximum loaded vehicle wt.)	53.9m @ 96.56 kmph	53.9m @ 96.56 kmph	53.9m @ 96.56 kmph	53.9m @ 96.56 kmph	53.9m @ 97.0 kmph
Tire Size (front/rear)	mh90-21, 130/90hb16	mh90-21, 130/90hb16	mt90b16/ mt90b16	mt90b16/ mt90b16	mt90b16, mt90b16
Wheels	Front laced, rear disc	Laced	Disc	Laced	Laced
Miles per Gallon ¹	55 hwy./43 city	55 hwy./43 city	55 hwy./43 city	50 hwy./40 city	50 hwy./40 city
Lean Angles per SAE J1169 (right/left)	31°/29°	30°/30°	30°/30°	30°/30°	30°/30°
Instruments	Speedometer with odometer and resettable trip meter	Speedometer with odometer and resettable trip meter	Speedometer with odometer and resettable trip meter	Speedometer with odometer and resettable trip meter	Speedometer with odometer and resettable trip meter
Color Options ²	Vivid black; bright wineberry sun-glo; mandarin orange; 2-tone victory red sun-glo; 2-tone black/scarlet red; 2-tone aqua sun-glo/silver	Vivid black; bright wineberry sun-glo; mandarin orange; 2-tone victory red sun-glo; 2-tone black/scarlet red; 2-tone aqua sun-glo/silver	Vivid black; victory red sun-glo; bright aqua sun-glo; 2-tone victory red sun-glo; 2-tone black/scarlet red; 2-tone aqua sun-glo/silver; 2-tone wineberry sun-glo	Vivid black; victory red sun-glo; bright aqua sun-glo; 2-tone victory red sun-glo; 2-tone black/scarlet red; 2-tone aqua sun-glo/silver; 2-tone wineberry sun-glo	2-tone Birch white/black

	FLHS Electra Glide® Sport	FLHTC Electra Glide® Classic	FLHTC Ultra Classic® Electra Glide®	FLTC Ultra Classic® Tour Glide®	FOOTNOTES
Length (cm)	239.4	239.4	239.4	239.4	¹ Based on tests conducted under ideal lab conditions per U.S. E.P.A. test procedures. Your mileage will vary depending on your personal riding habits, weather conditions, trip length and vehicle condition.
Seat Height (cm)	68.58	71.12	71.12	75.18	
Ground Clearance (cm)	14.52	14.52	14.52	14.52	
Rake/Trail (°/cm)	26/15.65	26/15.65	26/15.65	26/15.65	
Wheelbase (cm)	159.87	159.87	159.87	159.87	² Availability of colors may vary from dealer to dealer, and is subject to change without notice.
Dry Weight (kg)	317.62	340.12	351.0	351.0	
Load Capacity (kg)	215.46	199.13	188.24	188.24	³ Except where prohibited by law.
Engine	OHV V2® Evolution, ² vibration isolation-mounted	OHV V2® Evolution, ² vibration isolation-mounted	OHV V2® Evolution, ² vibration isolation-mounted	OHV V2® Evolution, ² vibration isolation-mounted	⁴ CB's prohibited in some countries.
Bore x Stroke (cm)	88.8 x 108	88.8 x 108	88.8 x 108	88.8 x 108	Standard international technical data may be modified according to local regulations.
Displacement (cc)	1340	1340	1340	1340	All models feature 5-speed transmission and Gates aramid fiber reinforced Poly Chain™ belt final drive. 40mm constant velocity carburetor with enricher and accelerator pump; V-Fire III™ electronic breakerless ignition with solid-state dual stage advance; multi-plate clutch with diaphragm spring in oil bath; and twelve-month, unlimited mileage warranty. Throttle friction screws should not be used under normal stop-and-go operating conditions.
Compression Ratio	8.5:1	8.5:1	8.5:1	8.5:1	
Oil Capacity (ltrs.)	3.79	3.79	3.79	3.79	
Fuel Capacity (ltrs.)	18.9	18.9	18.9	18.9	
Exhaust System	Dual	Dual	Dual	Dual	
Primary Drive	Double-row chain	Double-row chain	Double-row chain	Double-row chain	
Gear Ratios (overall)	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	1st: 9.52 2nd: 6.49 3rd: 4.71 4th: 3.62 5th: 2.94	
Torque (NM @ rpms)	94.0 @ 3600	94.0 @ 3600	94.0 @ 3600	94.0 @ 3600	
Brakes, cm x mm (front/rear)	29.2 x 5.1/ 29.2 x 7.6	29.2 x 5.1/ 29.2 x 7.6	29.2 x 5.1/ 29.2 x 7.6	29.2 x 5.1/ 29.2 x 7.6	
Braking (maximum loaded vehicle wt.)	54.9m @ 96.56 kmph	54.9m @ 96.56 kmph	54.9m @ 96.56 kmph	54.9m @ 96.56 kmph	
Tire Size (front/rear)	mt90b16/ mt90b16	mt90b16/ mt90b16	mt90b16/ mt90b16	mt90b16/ mt90b16	
Wheels	10-spoke cast	10-spoke cast	10-spoke cast	10-spoke cast	
Miles per Gallon ¹	50 hwy./40 city	50 hwy./40 city	50 hwy./40 city	50 hwy./40 city	
Lean Angles per SAE J1169 (right/left)	31°/30°	31°/30°	31°/30°	31°/30°	
Instruments	Speedometer with odometer and resettable trip meter; tach; fuel gauge	Speedometer with odometer and resettable trip meter; tach; fuel gauge; volt-meter; digital clock; oil pressure gauge; sound system with handlebar controls	Speedometer with odometer and resettable trip meter; tach; fuel gauge; volt-meter; digital clock; oil pressure gauge; sound system with handlebar controls; C.B.®/voice-actuated intercom; cruise control, cigarette lighter	Speedometer with odometer and resettable trip meter; tach; fuel gauge; volt-meter; digital clock; oil pressure gauge; sound system with handlebar controls; C.B.®/voice-actuated intercom; cruise control, cigarette lighter	
Color Options ²	Vivid black; victory red sun-glo; bright aqua sun-glo; mandarin orange	90th Anniversary; vivid black; dark wineberry sun-glo; 2-tone victory red sun-glo; 2-tone aqua sun-glo/silver	90th Anniversary; vivid black; victory red sun-glo; 2-tone victory red sun-glo; 2-tone aqua sun-glo/silver	90th Anniversary; vivid black; victory red sun-glo; 2-tone victory red sun-glo; 2-tone aqua sun-glo/silver	

WE RESERVE THE RIGHT TO DISCONTINUE MODELS OR CHANGE SPECIFICATIONS AT ANY TIME WITHOUT INCURRING ANY OBLIGATIONS. VEHICLE SPECIFICATIONS MAY VARY FROM COUNTRY TO COUNTRY DEPENDING ON LOCAL LAWS AND SOME MODELS ARE NOT AVAILABLE IN CERTAIN COUNTRIES. BE AWARE THAT MANY COUNTRIES PROHIBIT THE IMPORTATION, REGISTRATION AND/OR USE OF VEHICLES NOT BUILT TO THEIR COUNTRY SPECIFICATIONS. CHECK WITH YOUR LOCAL DEALER FOR DETAILS. WE CARE ABOUT YOU. SIGN UP FOR A MOTORCYCLE SAFETY RIDER COURSE TODAY. WHEN ENJOYING YOUR HARLEY-DAVIDSON® MOTORCYCLE, BE SURE TO RIDE SAFELY AND WITHIN THE LIMITS OF THE LAW AND YOUR ABILITIES. RIDE WITH YOUR HEADLIGHT ON AND WATCH OUT FOR THE OTHER PERSON. ALWAYS WEAR A HELMET, PROPER EYEWEAR AND APPROPRIATE CLOTHING AND INSIST YOUR PASSENGER DOES, TOO. NEVER RIDE WHILE UNDER THE INFLUENCE OF ALCOHOL OR DRUGS. KNOW YOUR OWN HARLEY® AND READ AND UNDERSTAND YOUR OWNER'S MANUAL FROM COVER TO COVER. ALL RIGHTS RESERVED. PRINTED IN U.S.A. PART #99361-93VN. ©1992 HARLEY-DAVIDSON, INC.

